

# WORKSHOP CATALOGUE

Hand Tools

PAGE 2

Engineering Equipment

PAGE 5

Air Tools

PAGE 12

Air Tool Accessories

PAGE 19

Valid 1<sup>st</sup> February to June 30<sup>th</sup> 2020.  
All prices quoted include GST.

## M6 Rechargeable Torch

**New!**



**2000 LUMENS!**

110 mm

BRIGHTNESS  
2000-40 Lm

• Includes headlamp strap

**Battery Included**

**\$199**

PN: SBM6XR

**MAGNETIC BASE!**

suprabeam® See full range on page 2.

## Magnification Lamps

### Workbench Magnification Lamp

- 900 mm Two piece articulated arm
- Mountable to most workbenches up to 60 mm in thickness
- 60 LED lamp with high & low modes
- High quality metal frame construction.

Magnification: 3 x Dioptre  
Lens dia.: 120 mm  
Lamp: 60 x LED  
Power: 240 V

**900 mm Reach!**

**760 Lumens**

**\$179**

PN: ML60

geiger

## ATEX | INTRINSICALLY SAFE TORCHES & HEADLAMPS

suprabeam®

- Durable, impact-resistant construction
- High & Low brightness modes
- High efficiency heatsinks
- Build-in gas release vents



IECEX

See full range on page 3.

## Foldable Crates

- Versatile design allows crates to be stacked or folded for compact storage.

Size: 535W x 360D x 280H mm  
Collapsed Height: 50 mm



**New!**

**\$39**

PN: FB5336B

geiger

## ACEUD

See full range on page 6.

### 940-2200 MM Circumference Tape

- Measures diameter & circumference
- Stainless steel with Laser engraved scale

Range: 940-2200 mm Cir. / 300-700mm Dia  
Graduation: 0.1mm

**New!**



PN: AC-956-028-11  
**\$46.00**

### Moisture Meter

Moisture Range: 2-40/50/60/70%  
(for different types of wood)  
Temp. Range: -10-60 °C  
Humidity Range: 0.1 °C RH

**New!**

PN: AC-WMM700  
**\$69.00**



## 206 Piece Rotary Tool Kit

**\$69**

PN: RTK206

206 Piece set includes, diamond & HSS cutters & twist drills, grinding, cloth, felt, emery & flap wheels, rotary brushes, sanding & cut off discs, polishing compound & dressing stone

**Back by Popular Demand!**



geiger

## Pistol Grip Nutsert Tools

- Average cycle time of 3 seconds
- Quick & simple to operate
- Fwd. / Rev. Toggle Switch

### M6 Nutsert Tool

Free Speed: 360 RPM  
Weight: 1.3 Kg  
M3, M4, M5, M8 & M10 mandrels available (sold separately)  
PN: GP400B

### M8 Nutsert Tool

Free Speed: 200 RPM  
Weight: 1.3 Kg  
M10 & M12 mandrels available (sold separately)  
PN: GP200B

**New!**

**\$699 EA**



geiger

## Digital Tyre Inflator

- Large 75 mm LCD display
- Clip-on chuck
- Auto On/Off

Units: PSI, Bar & kPa  
Range: 0-60 PSI  
Hose Length: 30 cm

geiger

See full range on page 14.



**New!**

**\$129**

PN: GP1558-4



## M6xr

**2000 LUMENS!**

**New!**



**Battery Included**

Li-PO 165m 114g 30-70°

**BRIGHTNESS** 2000-40Lm  
**ENDURANCE** 2-260h

**\$199**  
PN: SBM6XR



**MAGNETIC BASE!**

## Q1prime 90 Lm



PN: SBQ1prime

1xAAA 60m 30g 20°

**BRIGHTNESS** 90 Lm  
**ENDURANCE** 1h

**\$35**

## Q1mini 120 Lm



PN: SBQ1MINI

1xAAA 60m 38g 10-70°

**BRIGHTNESS** 120-30 Lm  
**ENDURANCE** 1h 30m - 5h

**\$45**

## Q1 160 Lm



**\$69**  
PN: SBQ1

2xAAA 70 m 56g 10-70°

**BRIGHTNESS** 160-40 Lm  
**ENDURANCE** 4-10 h

## Q2 200 Lm



**\$79**  
PN: SBQ2

1xAAA 150m 80g 10-70°

**BRIGHTNESS** 200-40 Lm  
**ENDURANCE** 2-5 h

## Q2r 450 Lm

**Li-Po 2x**  
Double capacity of typical li-ion



**\$129**  
PN: SBQ2R

Li-Po 175m 67g 10-70°

**BRIGHTNESS** 450-6 Lm  
**ENDURANCE** 1h 15m-70h

**Battery Included**

## Q3 classic 330 Lm

**IPx8 1 Meter WATERPROOF**



**\$89**  
PN: SBQ3classic

3xAAA 210m 96g 10°

**BRIGHTNESS** 330 Lm  
**ENDURANCE** 20 h

## Q3 380 Lm



**\$89**  
PN: SBQ3

3xAAA 230m 99g 10-70°

**BRIGHTNESS** 380-10 Lm  
**ENDURANCE** 2h 15m-75h

## Q3r 500 Lm

**Li-Po 2x**  
Double capacity of typical li-ion



**\$169**  
PN: SBQ3r

Li-Po 245m 139g 10-70°

**BRIGHTNESS** 500-15 Lm  
**ENDURANCE** 3-89 h

**2x Batteries Included**

## Q4 400 Lm



**\$129**  
PN: SBQ4

3xAAA 200m 152g 10-70°

**BRIGHTNESS** 400-8 Lm  
**ENDURANCE** 2-80 h

## Q4xr 800 Lm

**Li-Po 2x**  
Double capacity of typical li-ion



**\$199**  
PN: SBQ4XR

2xLi-Po 250m 132g 10-70°

**BRIGHTNESS** 800-50 Lm  
**ENDURANCE** 2-24 h

**Battery Included**

## Q7 compact 400 Lumens



**\$119**  
PN: SBQ7compact

4xAAA 220m 196g 10-70°

**BRIGHTNESS** 400-15 Lm  
**ENDURANCE** 1-75 h

## Q7xr 1000 Lumens

**Li-Po 2x**  
Double capacity of typical li-ion



**\$259**  
PN: SBQ7xr

2xLi-Po 345m 307g 10-75°

**BRIGHTNESS** 1000-50 Lm  
**ENDURANCE** 2h 45m-37

**2x Batteries Included**

## Q7xrs 2000 Lumens

**Li-Po 2x**  
Double capacity of typical li-ion



**\$359**  
PN: SBQ7xrs

2xLi-Po 345m 307g 15-75°

**BRIGHTNESS** 2000-6 Lm  
**ENDURANCE** 2-500 h

**2x Batteries Included**


Both the SBQ4xr, SBQ7xr & SBQ7xrs torches come in a durable plastic case with a Professional Quality Pouch with Velcro & Press Stud Strap, 100-240 VAC Adaptor with USB cable and external ICR Charger.



### Intrinsically Safe Headlamp

- Durable, impact-resistant construction
- Adjustable headband to fit head or helmet
- 90° adjustable head
- Lockable battery compartment for increased safety

Brightness: 170 Lumens  
IP Rating: Waterproof IP67  
Dimensions 80x50x45 mm  
Battery: 3 x AAA  
Weight: 130g



**\$179**

PN: SBAH3



II 1G Ex ia IIC T4 IP67  
DEMKO 14 ATEX 1354X

**IECEx**

Ex ia IIC T4 Ga IP67  
IECEx UL 14.0059X



Class 1, Div 1 & 2, Grp ABCD  
Class 2, Div 1 & 2, Grp EFG  
Class 3 / Temperature  
Code T4 IP67  
File number: E324236

### Intrinsically Safe Torch

- High & Low modes
- High efficient heat-sink

Brightness: 100 Lumens  
IP Rating: Waterproof IP67  
Dimensions 174x47x47 mm  
Battery 4 x AA  
Weight 115g



**\$129**

PN: SBAT3



II 1G Ex ia IIC T4 IP67  
DEMKO 14 ATEX 1354X



Class 1, Div 1 & 2, Grp ABCD  
Class 2, Div 1 & 2, Grp EFG  
Class 3 / Temperature  
Code T4 IP67  
File number: E324236

**IECEx**

Ex ia IIC T4 Ga IP67  
IECEx UL 14.0059X

### Intrinsically Safe Lamp

- High efficiency heat-sink
- Pocket Clip

Brightness: 200 Lumens  
IP Rating: Waterproof IP54  
Dimensions: 183x69x63 mm  
Battery: 4 x AA  
Weight: 250g



**\$169**

PN: SBAT4



II 1G Ex ia IIC T4 IP67  
DEMKO 14 ATEX 1354X



Class 1, Div 1 & 2, Grp ABCD  
Class 2, Div 1 & 2, Grp EFG  
Class 3 / Temperature  
Code T4 IP67  
File number: E324236

**IECEx**

Ex ia IIC T4 Ga IP67  
IECEx UL 14.0059X

### V3<sub>air</sub>

**340 Lumens**

**\$79**

PN: SBV3air



2xAAA 195m 140g 10-70°

**BRIGHTNESS** 340 - 6Lm  
**ENDURANCE** 3h 30m - 80

### V3<sub>airR</sub>

**360 Lumens**

**Battery Included**

**\$139**

PN: SBV3airR



Li-Po 210m 148g 10-70°

**BRIGHTNESS** 360 - 8Lm  
**ENDURANCE** 1h 45m - 80

### V3<sub>pro</sub>

**400 Lumens**

**\$119**

PN: SBV3pro



3xAAA 210m 204g 10-70°

**BRIGHTNESS** 400 - 10Lm  
**ENDURANCE** 8 - 110h

### S3

**200 Lumens**

**\$79**

PN: SBS3



3xAAA 70m 116g 20-60°

**BRIGHTNESS** 200 - 50Lm  
**ENDURANCE** 4.5 - 18h

## THE BONE™ CREEPERS & STOOLS

The Bone™ and Bonester™ feature a uniquely shaped body which cradles the user between the wheels only an inch or so above the ground. The big, easy rolling wheels are positioned outboard to provide a strong, stable working platform that can't tip or flip the user. The large diameter wheels roll easily over all sorts of obstacles such as cords and air lines.

**One Year  
FACTORY  
WARRANTY**

### ROUGH RIDER

Mechanics Creeper  
1194L x 648W x 191H mm  
Wheels: Ø130 mm x 33 mm  
Rough Rider Tyres  
73 mm Ground Clearance  
Weight: 9.1 Kg

**180 KG  
CAPACITY**



**\$439**

PN: BONE7031

### THE TAIL BONE

Rough Rider Mechanics Stool

Huge 130 mm Rough Rider Tyres  
44 mm Ground Clearance  
330 mm Seat Height  
740L x 800W mm  
Weight: 7.5 Kg

**180 KG  
CAPACITY**

**\$399**

PN: BONE5131

Easy Rider Mechanics Stool

Huge 130 mm Easy Rider Tyres  
20 mm Ground Clearance  
300 mm Seat Height  
740L x 800W mm  
Weight: 7 Kg

**160 KG  
CAPACITY**

**\$359**

PN: BONE5031

### THE BONESTER SUPER LOW PROFILE

Mechanics Creeper  
1092L x 594W x 114H mm  
Wheels: Ø75 mm x 22 mm  
Load Capacity: 180 Kg  
Easy Rider Tyres  
38 mm Ground Clearance  
Weight: 6 Kg

**180 KG  
CAPACITY**



**\$259**

PN: BONE4031

### THE BONE LOW PROFILE

Mechanics Creeper  
1194L x 648W x 160H mm  
Wheels: Ø130 mm x 25 mm  
Load Capacity: 180 Kg  
Wide Easy Rider Tyres  
45 mm Ground Clearance  
Weight: 8 Kg

**140 KG  
CAPACITY**



**\$399**

PN: BONE6031



## Riveting Tool

- Sets steel & aluminium rivets up to 4.8 mm (3/16")
- Sets Stainless Steel Rivets up to 4.0 mm (5/32")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$49**

PN: GHTJ701

## Heavy Duty Riveting Tool

- Sets steel, aluminium & stainless rivets up to 4.8 mm (3/16")

Sets 2.4 (3/32"), 3.2 (1/8"), 4.0 (5/32") & 4.8 mm (3/16") rivets



**\$89**

PN: GHTTC20

## Letter & Number Punch Sets

36 Piece set includes 27 "A" to "Z" plus "&", and 9 Piece 0-8 (6 is used as 9)

Hardness: HRC 58-62°



3 mm Punch Set

PN: GYC607-3

**\$51**

4 mm Punch Set

PN: GYC607-4

**\$60**

5 mm Punch Set

PN: GYC607-5

**\$72**

6 mm Punch Set

PN: GYC607-6

**\$95**

8 mm Punch Set

PN: GYC607-8

**\$149**

## 6 MM Heavy Duty Quick Release Deburrer

- Removable cap for blade storage

6 MM Heavy Duty Quick Release Handle (GDSRSDMK) with 6 MM General Purpose Blade (GDSR10S).



**\$33**

PN: GDSRSDMKK

## Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Storage for blades in handle.

Set Includes: 3.2 mm Standard Quick Release Handle (GDSRSDMK)

Standard 3.2 mm Deburring blades: 2 x GDSC10, 2 x GDSC101, 2 x GDSC15, 2 x GDSC20, 1 x GDSC30, 1 x GDSC35



**\$41**

PN: GD38040

## Metric 9 Piece Ball End Hex Key Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

**\$35**

PN: GXHK9M

## Imperial (SAE) 13 Piece Ball End Hex Key Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", & 3/8"

**\$37**

PN: GXHK13I

## 13 Piece Tamper-Proof Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

**\$39**

PN: GXTTP13

## 13 Piece Torx® Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

**\$39**

PN: GXTX13



## Rivet & Nutsert Tool

A 2-in-1 fastening tool that sets nutserts as well as blind rivets.

- Sets steel & aluminium rivets up to 4.8 mm & Nutserts up to M6
- Sets stainless rivets up to 4.0 mm & Nutserts up to M5

Sets 2.4, 3.2, 4.0 & 4.8 mm Rivets AND M3, M4, M5 & M6 Nutserts



**2-in-1**  
RIVETS/NUTSERTS

**\$119**

PN: GHTJ703A

## Heavy Duty Rivet & Nutsert Tool

- Sets steel & aluminium rivets up to 6.4 mm (1/4") AND nutserts up to M10
- Sets stainless steel rivets up to 4.8 mm (3/16") AND nutserts up to M8

Sets 3.2 (1/8"), 4.0 (5/32"), 4.8 (3/16") & 6.4mm (1/4") Rivets and M4, M5, M6, M8 & M10 Nutserts



**\$199**

PN: GHTH3

## Magnetic Pickup Tool

- Extended length large diameter head magnetic pickup tool

- For the safe removal of swarf in hard to get at places.

Head diameter: 96 mm  
Overall length: 960 mm



**\$99**

PN: MRE001

## Magnetic Telescopic Pickup Tool

Length: 170-900 mm  
Capacity: 3.6 kg



**\$16**

PN: MTP001

## Magnetic Clean-Up Wand

Capacity: 6.30 kg  
Length 400 mm  
Weight 0.5 kg



**\$79**

PN: MW001

## Jumbo Metric 13 Piece Ball End Hex Key Set

Set includes: 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm Keys

**\$99**

PN: GXHK19M





## Gear & Bearing Splitting Combination Set

### Small Bearing Separator

Jaw Range: 30-50 mm  
Working Range: 0-135 mm

### Large Bearing Separator

Jaw Range: 50-75 mm  
Working Range: 0-180 mm

Includes Centre Adapter.

**S45C Drop Forged hardened Main Beam and Bearing Separators.**



**\$195**

PN: GBTK

## Multi-Hydraulic Gear Puller Kit

### Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 mm  
Jaw Range: 75-105 mm

### Gear Puller

Working Range: 0-185 mm

Set includes:  
Twin & Triple Leg Heads  
Hydraulic Ram (12 Ton capacity)  
Carbon Steel Beam  
200 mm, 150 mm, & 100 mm arms  
85 mm, 35 mm, Spacers  
25 mm Centre Adapter



**\$473**

PN: GHPK

## Gasket Punch Set


14 Piece set includes: 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1-1/4, 1-3/8 & 1-1/2"



**\$82**

PN: GGP5

## Drill Press Vices



### 100 mm Drill Press Vice

Base: 177 x 161mm  
Jaw Size: 101 x 23mm  
Jaw opening: 100mm

**\$45**

PN: TV102-4

### 150 mm Drill Press Vice

Base: 238 x 210mm  
Jaw Size: 150 x 28mm  
Jaw opening: 150mm

**\$79**

PN: TV102-6

### 200 mm Drill Press Vice

Base: 348 x 287mm  
Jaw Size: 200 x 46mm  
Jaw opening: 200mm

**\$320**

PN: TV122-3

## Magnetic Broom

The telescopic handle features a quick-release slide to discard swarf.

Lifts up to 9 kg  
Width: 377 mm



**\$129**

PN: MB001

## 100 mm Welders Vice

Base dimension: 236 x 236 mm  
Overall height: 61 mm  
Jaw opening: 100 mm



**\$159**

PN: TV275

## 3 Piece Step Drill Set

- TiN coated HSS
- Helical flute

Set includes 4-12 mm,  
4-20 mm & 4-32 mm



**\$165**

PN: G3SD

## Soluble Cutting Oil

Contains emulsifiers and bactericides specifically formulated to provide excellent stability and rust prevention characteristics in hard water up to 400 ppm (expressed as calcium carbonate).

Mix between 5% to 10% with clean tap water.



1 Litre

**\$25**

PN: SOLOIL1

5 Litres

**\$99**

PN: SOLOIL5

20 Litres

**\$339**

PN: SOLOIL20

## Metal Working Bench Vices

- Lockable 360° Swivel base
- Integrated anvil & pipe jaws
- Heavy duty cast steel

### 150 mm Bench Vice

Jaw face: 155 x 85 mm  
Jaw opening: 150 mm  
Weight: 14 kg

**\$299**

PN: GBV6

### 200 mm Bench Vice

Jaw face: 205 x 85 mm  
Jaw opening: 200 mm  
Weight: 18 kg

**\$399**

PN: GBV8



## Keyless Drill Chucks

- Suitable for lathes, drilling & milling machines



**Porta**

### 1-13 mm Keyless Drill Chuck

Mount: JT6

**\$125**

PN: POR37J6

### 3-16 mm Keyless Drill Chuck

Mount: JT6

**\$139**

PN: POR40J6

MT2 x JT6 Arbor  
PN: DCAMT2J6

**\$19**

MT3 x JT6 Arbor  
PN: DCAMT3J6

**\$24**

JT3, B16 & Threaded Arbors available.





### Metric Dial Calipers



#### 150 MM Metric Dial Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-101-006-11  
**\$125.00**

#### 200 MM Metric Dial Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-101-008-11  
**\$155.00**

#### 300 MM Metric Dial Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.04$  mm

PN: AC-101-012-11  
**\$239.00**

### Dual Scale Digital Calipers



#### 150 MM Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-006-12  
**\$89.00**

#### 200 MM Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-008-12  
**\$129.00**

#### 300 MM Dual Scale Digital Caliper

Resolution: 0.01 mm  
Accuracy:  $\pm 0.03$  mm

PN: AC-111-012-12  
**\$185.00**

### Splash Proof IP54 Dual Scale Digital Calipers



#### 150 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-006-11  
**\$115.00**

#### 200 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-008-11  
**\$149.00**

#### 300 MM Dual Scale Splash Proof IP54 Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-111-012-11  
**\$219.00**

### Coolant Proof IP67 Dual Scale Digital Calipers



#### 150 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-112-006-12  
**\$229.00**

#### 200 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-112-008-12  
**\$259.00**

#### 300 MM Dual Scale Coolant Proof Digital Caliper

Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.03$  mm/0.001"

PN: AC-112-012-12  
**\$349.00**

### IP54 Fractional Imperial Digital Caliper



Resolution: 0.01 mm, 0.005", 1/128"  
Accuracy:  $\pm 0.03$  mm

PN: AC-113-008-11  
**\$159.00**

Display Modes: Fraction Imperial, Decimal Imperial & Metric Auto On/Off

### 150 MM Digital Plastic Caliper



Resolution: 0.01 mm/0.0005"  
Accuracy:  $\pm 0.1$  mm

PN: AC-117-006-11  
**\$39.00**

### Dual Scale Vernier Calipers



#### 150 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.03$ /0.001"

PN: AC-120-006-12  
**\$65.00**

#### 200 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.03$ /0.001"

PN: AC-120-008-12  
**\$95.00**

#### 300 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.04$ /0.002"

PN: AC-120-012-12  
**\$155.00**

### Dual Scale Long Series Vernier Calipers



#### 600 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.05$  mm/0.002"  
External Jaw Reach: 100 mm  
Int. Jaw Reach: 18 mm

PN: AC-127-024-11  
**\$325.00**

#### 1000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.08$  mm/0.003"  
External Jaw Reach: 140 mm  
Int. Jaw Reach: 24 mm

PN: AC-127-040-11  
**\$859.00**

#### 2000 MM Dual Scale Vernier Caliper

Graduation: 0.02 mm/0.001"  
Accuracy:  $\pm 0.14$  mm/0.006"  
External Jaw Reach: 200 mm  
Int. Jaw Reach: 24 mm

PN: AC-127-080-11  
**\$2,399**



## Digital Inside Groove Calipers

### 25-300 MM Digital Inside Groove Caliper

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.04$  mm

Jaw Reach: 40 mm

Max Groove Depth: 5 mm

PN: AC-136-008-11

**\$349.00**



- Automatic power on/off
- USB Data output

### 25-300 MM Digital Inside Groove Caliper

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.05$  mm

Jaw Reach: 100 mm

Max Groove Depth: 10 mm

PN: AC-132-012-11

**\$565.00**



- Automatic power on/off
- Buttons: on/off, zero, mm/inch
- Made of stainless steel
- USB Data output

## Digital Small Point Caliper

Resolution: 0.01mm/0.0005"

Accuracy:  $\pm 0.03$  mm

Jaw Reach: 100 mm

- Automatic power on/off
- USB Data output



PN: AC-168-006-11

**\$219.00**

## 500 MM Dual Scale Vernier Caliper

Graduations: 0.02 mm / 0.001"

Accuracy:  $\pm 0.05$  mm

Internal Jaw Reach: 45 mm

External Jaw Reach: 100 mm

PN: AC-129-020-11

**\$579.00**



## Internal & External Dial Caliper Gauges

Graduations: 0.01 mm

Accuracy:  $\pm 0.04$  mm



### 20 MM External Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 60 mm

PN: AC-421-020-11

**\$325.00**

### 20-40 MM External Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 60 mm

PN: AC-421-040-11

**\$325.00**

### 40-60 MM External Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 55 mm

PN: AC-421-060-11

**\$325.00**

### 35-55 MM Internal Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 80 mm

PN: AC-411-055-11

**\$295.00**

### 55-75 MM Internal Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 90 mm

PN: AC-411-075-11

**\$295.00**

### 75-95 MM Internal Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 100 mm

PN: AC-411-095-11

**\$295.00**

### 95-115 MM Internal Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 120 mm

PN: AC-411-115-11

**\$395.00**

### 115-135 MM Internal Dial Caliper

Graduations: 0.01 mm

Jaw Reach: 120 mm

PN: AC-411-135-11

**\$425.00**



- Automatic power on/off
- USB Data output

### 150 MM Digital Inside Groove Caliper

Range: 9-150 mm

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.04$  mm

Minor Jaw Range: 9-150 mm

Major Jaw Range: 15-150 mm

Jaw Reach: Minor 30 mm / Major 70 mm

Max Groove Depth: 8.5 mm

PN: AC-159-006-11

**\$430.00**

### 200 MM Digital Inside Groove Caliper

Range: 9-200 mm

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.04$  mm

Minor Jaw Range: 9-200 mm

Major Jaw Range: 15-200 mm

Jaw Reach: Minor 30 mm / Major 70 mm

Max Groove Depth: 8.5 mm

PN: AC-159-008-11

**\$435.00**

## 200 MM Digital Large Face Caliper

Resolution: 0.01mm/0.0005"

Accuracy:  $\pm 0.07$  mm

Jaw Reach: 48 mm

Face size: 30 x 40 mm

PN: AC-167-008-11

**\$585.00**



- Automatic power on/off
- USB Data output

## 125 MM Digital Disc Brake Caliper

- Automatic power on/off
- USB Data output



Resolution: 0.01 mm

Accuracy:  $\pm 0.07$  mm

External Jaw Reach: 90 mm

PN: AC-157-005-11

**\$249.00**

## Dial Bore Gauges

### 2-6" Imperial Dial Bore Gauge

Range: 2-6"

Resolution: 0.001"

Accuracy:  $\pm 0.00071$ "

Length: 5-1/2"

PN: AC-252-060-11

**\$219.00**



### 50-160 MM Dial Bore Gauge

Range: 50-160 mm

Graduations: 0.01 mm

Accuracy:  $\pm 0.018$  mm

Length: 141 mm

PN: AC-251-160-11

**\$199.00**



## Depth Calipers, Indicator, Micrometers

### 25 MM Digital Depth Caliper

- USB data output

Resolution: 0.01 mm/0.0005"

Accuracy:  $\pm 0.03$  mm

PN: AC-176-001-11

**\$119.00**



### 200 MM Digital Depth Caliper

Accuracy:  $\pm 0.03$  mm

PN: AC-171-008-11

**\$155.00**

### 300 MM Digital Depth Caliper

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.04$  mm

- Automatic power on/off
- USB Data output

PN: AC-171-012-11

**\$345.00**



### 10 MM Dial Depth Indicator

- Stainless steel base
- With needle and ball stylus

Graduation: 0.01 mm

Accuracy:  $\pm 0.03$  mm

PN: AC-291-010-11

**\$199.00**



### 150 MM Depth Micrometer

- Ratchet stop
- Supplied with rods

PN: AC-392-006-01

**\$389.00**



### 200 MM Digital Pin Depth Caliper

Resolution: 0.01 mm / 0.0005"

Accuracy:  $\pm 0.03$  mm

- Automatic power on/off
- USB Data output

PN: AC-172-008-11

**\$249.00**







### Digital & Dial Indicators

#### 25 MM Dual Scale Digital Indicator

Range: 25.4 mm/1"  
Resolution: 0.01 mm/0.0005"  
Accuracy: 20 µm

PN: AC-212-025-13  
**\$149.00**

**USB**  
DATA OUTPUT

Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS  
• USB data output  
• Supplied with flat & lug back



#### 10 MM Jeweled Metric Dial Indicator

Range: 10 mm  
Graduations: 0.01 mm  
Accuracy: 20 µm

PN: AC-222-010-11  
**\$65.00**

• Limit hands  
• Jeweled bearing  
• 1 mm range per dial revolution  
• Lug back



#### 1" Imperial Dial Indicator

Graduation: 0.001"  
Accuracy: 20 µm

PN: AC-225-025-11  
**\$65.00**

#### 30 MM Metric Dial Indicator

Graduations: 0.01 mm  
Accuracy: ±35 µm

PN: AC-229-030-11  
**\$125.00**

### Metric Dial Test Indicator



PN: AC-261-008-11  
**\$110.00**

• 0.01 mm Graduations  
• Jeweled bearing  
• Carbide stylus  
• Double scale spacing  
• Anti-magnetic copper body  
• 4 mm & 8 mm Dia clamps.

Range: 0.8 mm  
Graduation: 0.01 mm  
Accuracy: ±13 µm

### 1/4" Centering Indicator

• For quick and accurate centering in boring and milling set-up  
• Jeweled bearing  
• Supplied with 7 feelers

Size: 150 mm x 60 mm x 33 mm



PN: AC-297-003-11  
**\$245.00**

### Digital Level & Protractor

• Magnetic V-groove Base  
• Light weight aluminum frame

Resolution: 0.05°  
Accuracy: ±0.1° (at 0°/90°/180°/270°)  
±0.2° (other direction)  
Size: 150 mm x 60 mm x 33 mm

PN: AC-722-360-01  
**\$165.00**



### 600 MM Digital level

• Use as level or protractor  
• Back-light Display  
• Magnetic base  
• Absolute horizon memory

Units: Degrees, Percent Slope, mm/m & In/Ft Pitch.  
Resolution: 0.1°  
Length: 600 mm



PN: AC-725-360-01  
**\$99.00**

### Dial Indicator & Magnetic Stand Kits

#### 10 MM Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.01 mm  
Accuracy: ±20 µm

PN: AC-280-000-02  
**\$149.00**

#### 1" Inch Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
Magnetic Force: 60 kgf  
Graduation: 0.001"  
Accuracy: ±20 µm

PN: AC-280-001-02  
**\$149.00**



• Aluminium Case Included

### Magnetic Stands

#### Magnetic Stand with Fine adjustment

Stem holes: 8 mm  
Magnetic Force: 60 kgf

PN: AC-281-060-01  
**\$72.00**



#### Magnetic Stand

Stem holes: 8 mm  
Magnetic Force: 60 kgf

PN: AC-281-060-02  
**\$64.00**



#### Universal Magnetic Stand

Stem hole: 8 mm  
Height: 395 mm  
Arm Lengths: 340 mm  
Magnetic Force: 80 kgf

PN: AC-282-080-02  
**\$169.00**



#### Mini Universal Magnetic Stand

Stem holes: 8 mm  
Height: 231 mm  
Arm length: 192 mm  
Magnetic Force: 40 kgf

PN: AC-286-040-01  
**\$159.00**



### Combination Rulers

#### 200 MM Digital Combination Ruler

Length: 200 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-008-01  
**\$89.00**

#### 300 MM Digital Combination Ruler

Length: 300 mm  
Range: 360°  
Resolution: 0.1°

PN: AC-821-012-01  
**\$99.00**



### Digital Level

• Level or protractor modes  
• Auto. power off  
• Magnetic base

PN: AC-721-180-01  
**\$99.00**



### 0-360° Digital Level & Protractor

• Integrated level vial  
• Auto power off

Size: 250 mm x 60 mm x 33 mm  
Resolution: 0.05°  
Accuracy: ±0.15°

PN: AC-726-360-01  
**\$179.00**



### 300 MM Block Level

Length: 300L x 45H x 50W mm

• 0.02mm/m sensibility per division  
• 140° Vee Groove



PN: AC-713-012-02  
**\$325.00**

## Metric Gauge Block Sets



- Calibration certificate
- Meet ISO 3650

### 34 Piece Metric Block Set

Included gauges: 1.0005 mm x 1, 1.001 to 1.009 mm (0.001 mm x 9), 1.01 to 1.09 mm (0.01 mm x 9), 1.1 to 1.9 mm (0.1 mm x 9), 1 to 5 mm (1 mm x 5), 10 mm x 1

PN: AC-512-034-01  
**\$485.00**

### 47 Piece Metric Block Set

Included gauges: 1.005 mm x 1, 1.01 to 1.19 mm (0.1 mm x 19), 1.2 to 1.9 mm (0.1 mm x 8), 1 to 9 mm (1 mm x 9), 10 to 100 mm (10 mm x 10)

PN: AC-512-047-01  
**\$755.00**

### 87 Piece Metric Block Set

Included gauges: 1.001 to 1.009 mm (0.001 mm x 9), 1.01 to 1.49 mm (0.01 mm x 49), 0.5 to 9.5 mm (0.5 mm x 19), 10 to 100 mm (10 mm x 10)

PN: AC-512-087-01  
**\$925.00**

## Radius Gauge Sets

- Includes concave & convex Gauge for each size

### 1-7 mm Radius Gauge Set

Range: 1, 1.25, 1.5, 1.75, 2, 2.25, 2.5, 2.75, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7 mm

PN: AC-941-007-34  
**\$29.00**

### 7.5-15 mm Radius Gauge Set

Range: 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15 mm

PN: AC-941-015-32  
**\$29.00**

### 15.5-25 mm Radius Gauge Set

Range: 15.5, 16, 16.5, 17, 17.5, 18, 18.5, 19, 19.5, 20, 21, 22, 23, 24, 25 mm

PN: AC-941-025-30  
**\$29.00**

## Combination Square Set

90° or 45° square  
90° square accuracy:  $\pm 8'$ ,  
45° square accuracy:  $\pm 10'$

Circle Centre Finder  
Accuracy:  $\pm 0.15$  mm  
Ruler range: 300 mm/12"



PN: AC-817-180-02  
**\$199.00**

Protractor  
Range: 0-180°  
Accuracy:  $\pm 7'$

## 100 mm Centre Marking Gauge

Range: 4-90 mm  $\varnothing$   
Accuracy:  $\pm 0.15$  mm

PN: AC-993-004-01  
**\$98.00**

### Double Ended Scriber

• Nickel plated with Hardened tips  
• Knurled handle  
Length: 250 mm



PN: AC-995-009-01  
**\$14.00**

## Dual Scale Stainless Rulers

### 6" Dual Scale Stainless Ruler

Range: 150 mm / 6"



PN: AC-990-006-11  
**\$9.50**

### 12" Dual Scale Stainless Ruler

Range: 300 mm / 12"



PN: AC-990-012-11  
**\$16.00**

## Straight Edge Rulers



### 300 mm Straight Edge Ruler

Graduations: 1 mm  
Beam Width: 40 mm  
Length: 300 mm

PN: AC-991-012-01  
**\$110.00**

### 500 mm Straight Edge Ruler

Graduations: 1 mm  
Beam Width: 40 mm  
Length: 500 mm

PN: AC-991-020-01  
**\$179.00**

### 1000 mm Straight Edge Ruler

Graduations: 1 mm  
Beam Width: 50 mm  
Length: 1000 mm

PN: AC-991-040-01  
**\$349.00**

## Wide Base Machinist Squares (Grade 2)

### 100 mm Wide Base Machinist Square

Squareness: (a) 28  $\mu$ m (b) 30  $\mu$ m  
Base size: 19H x 12W x 70L mm  
Blade Thickness: 3 mm

PN: AC-845-004-02  
**\$32.00**

### 150 mm Wide Base Machinist Square

Squareness: (a) 33  $\mu$ m (b) 35  $\mu$ m  
Base size: 25H x 16W x 100L mm  
Blade Thickness: 3 mm

PN: AC-845-006-02  
**\$42.00**

### 200 mm Wide Base Machinist Square

Squareness: (a) 37  $\mu$ m (b) 40  $\mu$ m  
Base size: 32H x 16W x 130L mm  
Blade Thickness: 4 mm

PN: AC-845-008-02  
**\$57.00**

### 300 mm Wide Base Machinist Square

Squareness: (a) 47  $\mu$ m (b) 50  $\mu$ m  
Base size: 32H x 19W x 200L mm  
Blade Thickness: 4 mm

PN: AC-845-012-02  
**\$88.00**

### 600 mm Wide Base Machinist Square

Squareness: (a) 75  $\mu$ m (b) 80  $\mu$ m  
Base size: 50H x 30W x 350L mm  
Blade Thickness: 6 mm

PN: AC-845-024-02  
**\$310.00**



## Feeler Tape

Size: 13 mm x 5 m  
Accuracy:  $\pm 4$   $\mu$ m



### 0.02 mm Feeler Tape

PN: AC-916-002-01  
**\$37.00**

### 0.04 mm Feeler Tape

PN: AC-916-004-01  
**\$34.00**

## Feeler Gauges



### 200 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm  
Length: 200 mm

PN: AC-914-100-20  
**\$37.00**

### 150 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm  
Length: 150 mm


PN: AC-913-100-20  
**\$30.00**

### 300 mm Feeler Gauge 20 Leave Set

Range: 0.05-1.00 mm  
Length: 300 mm

PN: AC-915-100-20  
**\$41.00**

## Dividers & Calipers



### 200 mm Inside Spring Caliper

Range: 18-190 mm  
Length: 200 mm

PN: AC-982-008-01  
**\$31.00**

### 200 mm Spring Divider

Range: 0-190 mm  
Length: 200 mm

PN: AC-985-008-01  
**\$31.00**

### 200 mm Outside Spring Caliper

Range: 0-190 mm  
Length: 200 mm

PN: AC-984-008-01  
**\$31.00**

### 300 mm Inside Spring Caliper

Range: 18-290 mm  
Length: 300 mm

PN: AC-982-012-01  
**\$39.00**

### 300 mm Spring Divider

Range: 0-290 mm  
Length: 300 mm

PN: AC-985-012-01  
**\$39.00**

### 300 mm Outside Spring Caliper

Range: 0-290 mm  
Length: 300 mm

PN: AC-984-012-01  
**\$39.00**

### 500 mm Inside Spring Caliper

Range: 25-490 mm  
Length: 500 mm

PN: AC-982-020-01  
**\$65.00**

### 500 mm Spring Divider

Range: 0-490 mm  
Length: 500 mm

PN: AC-985-020-01  
**\$65.00**

### 500 mm Outside Spring Caliper

Range: 0-490 mm  
Length: 500 mm

PN: AC-984-020-01  
**\$65.00**



## ACCURATE MEASUREMENT

### Metric Outside Micrometers



**IMPERIAL SIZES AVAILABLE**

- Carbide measuring faces
- Setting standard included
- Ratchet stop

#### 25 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 4 µm  
Jaw Reach: 29 mm

PN: AC-321-001-01  
**\$49.00**

#### 25-50 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 4 µm  
Jaw Reach: 39 mm

PN: AC-321-002-01  
**\$58.00**

#### 50-75 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 5 µm  
Jaw Reach: 53 mm

PN: AC-321-003-01  
**\$63.00**

### Coolant Proof Digital Micrometers

- Functions: mm/inch, origin, zero point, ABS, hold
- IP65 protection level
  - Carbide measuring faces
  - Ratchet stop.

#### 25 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 mm  
Accuracy: 3 µm  
Jaw Reach: 25 mm

PN: AC-313-001-02  
**\$210.00**

### Metric Micrometer Sets



- Calibration certificate

#### Telescopic Gauge Set

Handle lengths: 115-137 mm  
Gauge sizes:  
8-12.7 mm, 12.7-19 mm,  
19-32 mm, 32-54 mm,  
54-90 mm & 90-150 mm

PN: AC-951-006-01  
**\$59.00**

### Metric Outside Micrometers with Interchangeable Anvils



- Setting standards & extension anvils are included
- Carbide measuring faces
- Ratchet stop

#### 0-100 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 5 µm  
Jaw Reach: 57 mm

PN: AC-325-004-01  
**\$349.00**

#### 0-150 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 6 µm  
Jaw Reach: 82 mm

PN: AC-325-006-01  
**\$399.00**

#### 100-200 MM Outside Micrometer

Graduation: 0.01 mm  
Accuracy: 7 µm  
Jaw Reach: 114 mm

PN: AC-325-008-01  
**\$499.00**



#### 25-50 MM Coolant Proof IP65 Dual Scale Digital Micrometer

Graduation: 0.001 mm  
Accuracy: 3 µm  
Jaw Reach: 32 mm

PN: AC-313-002-02  
**\$269.00**

### 200x Digital Wifi Microscope

- Capture pictures or video
- Measuring software & calibration rule included
- 8 LED Light array

Resolution: 2 Megapixel  
Magnification: 10 - 200x  
Interface: USB2.0 or WiFi

PN: AC-WIFI200  
**\$399.00**

**Connects to any Wifi enabled Laptop, Phone or Tablet.**



### Portable 100x Microscope

Total magnification: 100x  
Height: 210 mm  
Weight: 650 g



PN: AC-PM100  
**\$365.00**

### Wifi Digital Microscope Stand

- Multiple adjusters and ball mount allow a wide range of viewing options
- All metal construction.

Max Height: 170 mm

PN: AC-MS36B  
**\$195.00**



Digital Wifi Microscope not included.

### Shore A Hardness Tester

- Conforms to ISO868, ISO7619 & ASTM D 2240
- Peak value indicator
- Suitable for soft plastic, rubber, leather, etc.

Range: 20-90 HA  
Graduation: 1 HA  
Accuracy: ±1 HA

PN: AC-HSM1A  
**\$299.00**



### Portable Hardness Tester

Resolution: 1 HLD, 1 HV, 1 HB, 0.1 HRC, 0.1 HRB, 1 HS, 1 MPa  
Units: HV, HB, HRC, HRB, HS & tensile strength MPa  
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)  
Min. sample weight: 5 kg (directly) / 2 kg (supported) / 0.1kg (coupled to plate)  
Min. sample thickness: 5 mm  
Min. sample diameter: 22 mm  
Max. sample roughness: 1.61-Jm(Ra)  
Power: 3 x AAA battery  
Dimension: 121 x 68 x 30 mm



PN: AC-HL350  
**\$695.00**

### Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
  - Battery Power Indicator
  - Muteable sample capture alarm
  - Back-light LCD Display
  - 1/4"-20 UNC Tripod Mount
  - Laser Sight

Measuring range: -50-700 °C  
Accuracy: 1.5% or 1.5 °  
Distance spot ratio: 12:1

PN: AC-IT700  
**\$149.00**



## Automotive Clip & Split Pin Kits

### Speed Clips & Nuts

90 piece kit includes an assortment of 7 types of speed clips & nuts, ranging from (No. 10) 4.8 mm to (No.14) 6.3 mm Speed Clips and 5 & 6 mm Speed Nuts.



**\$34**

PN: AAK05

### DIN 94 Split Pins - Small Kit

300 piece kit includes an assortment of 9 types of DIN 94 split pins, ranging from 2 mm dia. x 25 mm to 5 mm dia. x 63 mm Split Pins.



**\$27**

PN: AAK08

### DIN 94 Split Pins - Large Kit

500 piece kit includes an assortment of 10 types of DIN 94 split pins, ranging from 1.6 mm dia. x 32 mm to 5 mm dia. x 50 mm Split Pins.



**\$41**

PN: AAK09

### DIN 6799 Black Oxide E Clips

300 piece kit includes an assortment of 8 types of DIN 6799 black oxide e clips, ranging from M3, M4, M5, M6, M7, M8, M10 & M12.



**\$30**

PN: AAK20

### External Circlips

120 piece kit includes an assortment of 16 types of external circlips, ranging from M5 to M24.



**\$37**

PN: AAK30

## Automotive Bolt & Screw Kits

### Mushroom Pozidrive Self Tapping Screws

200 piece kit includes an assortment of 8 types of Pozidrive Self Tapping Screws, ranging from M8 (4.2 mm x 19) to No.10 (4.8 mm x 30).



**\$27**

PN: AAK04

### DIN 912 Socket Head Cap Screws

120 piece kit includes an assortment of 10 types of DIN 912 (grade 12.9) Allen socket cap screws, ranging from M5x16 & M10x30.



**\$27**

PN: AAK17

### DIN 916 Socket Head Grub Screws

300 piece kit includes an assortment of 8 types of DIN 916 (grade 10.9) Allen head grub screws, ranging from M4x10 & M6x16.



**\$33**

PN: AAK18

### DIN 7991 C'sunk Socket Head Screws

160 piece kit includes an assortment of 10 types of DIN 7991 (grade 10.9) Allen socket countersunk screws, ranging from M4x12 to M10x30.



**\$27**

PN: AAK19

## Driver Kits

### Pozidrive, Square & Magnetic Nut Setters

60 piece kit includes an assortment of 10 mm Magnetic Nut Setters, 3/8 Magnetic Nut Setters, No.1x25, No.3x25, No.3x50, No.2x25, No.2x50 Poz Bits, No.1x50 long Poz Bits, No.1x25, No.1x50, No.2x25, No.2x50 Square Drive Bits.



**\$62**

PN: HAK39

## Automotive Grease Nipple Kits

### Grease Nipples - Small Kit

50 piece kit includes an assortment of 8 types of grease nipples, ranging from GN10A 1/8 BSP, GN112 1/8 NPTx90°, GN12A 1/8 BSPx90°, GN13 1/4 SAE/UNF, GN30 M6x1x45°, GN26 M8x1.25, GN28 M8x1.25x90° & GN36 M8x1x45° Grease Nipples.



**\$42**

PN: AAK15

## Automotive Nut, Bolt & Stud Kits

### Propshaft Bolts (Grade 10.9)

40 piece kit includes an assortment of 10 types of (Grade 10.9) propshaft bolts, ranging from M8x1x30 to M12x1.5x40.



**\$37**

PN: AAK25

### Durlock Flange Bolts & Flange Nuts

100 piece kit includes an assortment of 12 types of (Std Course Thread) DIN 6921 durlock flange Bolts & DIN 6923 flange nuts and bolts, ranging from M6x12 to M10x25.



**\$30**

PN: AAK26

### Exhaust Manifold Studs & Nuts

80 piece kit includes an assortment of 8 types of exhaust manifold studs & nuts ranging from M8x1.25 to M10x1.5x50 Studs. Copper Nuts and M8x1.25x40 to M10x1.5x50 Studs.



**\$64**

PN: AAK11

## Automotive Washer Kits

### DIN 7604A Soft Annealed Copper Washers

130 piece kit includes an assortment of 8 types of DIN 7604a Small Soft Annealed Copper Washers, ranging from M6 to M18.



**\$43**

PN: AAK12

### Fibre Washers

250 piece kit includes an assortment of 8 types of Fibre Washers, ranging from M4 (4.3 x 9 x 0.8 mm) to M16 (16.1 x 22 x 0.8 mm).



**\$39**

PN: AAK13

## Automotive O-Ring Kits

### Nitrile 70 Duro Shore A Imperial O-rings

225 piece kit includes an assortment of 18 types of nitrile 70 duro shore a imperial o-rings ranging from 3/32" ID x 1/16" (2.38 mm ID x 1.78 mm) to 13/16" ID x 5/32" (20.22 mm ID x 3.53 mm).



**\$37**

PN: AAK31

### NBR-70 Standard Metric O-rings

386 piece kit includes an assortment of 30 types of NBR-70 standard metric o-rings ranging from 3.0 mm ID x 2.0 mm CS (R-01) to 44 mm ID x 4.0 mm CS (R-30).



**\$52**

PN: AAK32

## Washer Kits

### Zinc plated Spring Washers

500 piece kit includes an assortment of 8 types of Zinc Plated Spring Washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$27**

PN: HAK06

### Heavy Duty Zinc Plated Flat Washers

500 piece kit includes an assortment of 8 types of heavy duty zinc plated flat washers, ranging from M3, M4, M5, M6, M8, M10, M12 & M16.



**\$27**

PN: HAK07



## 1/2" Gearless Angle Impact Wrench

Torque: 290 Ft-lbs  
Free Speed: 8,500 RPM  
Length: 245 MM  
Weight: 1.3kg

- Extended service life due to direct drive design

- 8 position swivel trigger
- 70 MM head height



**\$339**

PN: BIJ220B2

## 1/4" Die Grinder

Free Speed: 20,000 RPM  
Length: 165 MM  
Weight: 0.55Kg



**\$175**

PN: BG210R

## 1/4" x 5" Extended Die Grinder

Collet Size: 1/4"  
Free Speed: 21,000 RPM  
Length: 280 MM  
Weight: 0.80 Kg



**\$199**

PN: BG215RA1

## 2" Angle Grinder

Free Speed: 15,000 RPM  
Length: 178 MM  
Weight: 0.8 Kg



**\$199**

PN: BG222RA1

## 50 MM Angle Grinder Disc

Suits BG222RA1  
Max Speed: 23,000 RPM  
Size: 50 x 4 x 9.53 MM



**\$10**

PN: 3510232

## 6" Random Orbital Sander

Orbit Diameter: 5 MM  
Spindle: 5/16"x24 UNF  
Free Speed: 12,000 RPM  
Weight: 0.99 kg



**\$259**

PN: BOS156A1

## Dust-Free 6" Random Orbital Sander

Orbit Diameter: 5 MM  
Free Speed: 12,000 RPM  
Spindle: 5/16 x 24 UNF  
Weight: 0.99 Kg



**\$279**

PN: BOS156SA1

## 8" Geared Sander



**\$495**

PN: BOS253GR-D1

Orbit Diameter: 5 MM Free Speed: 900 RPM  
Pad mount: 5 hole Weight: 1.88 Kg

## 8" Geared Central Vac Sander



**\$495**

PN: BOS253GRC-D1

Orbit Diameter: 5 MM Free Speed: 900 RPM  
Pad mount: 5 hole Weight: 2.05 Kg

## Heavy Duty Air Hammer Kit

- Integrated piston cushion design for lower vibration and less operator fatigue
- T handle design for better tool balance

Chisel shank: 10.2 MM  
Impact Rate: 2,900 bpm  
Weight: 1.73 Kg



**\$249**

PN: BHA67A1

## Heavy Duty C Brad Nailer

Nail Shank: 1.4x1.6 MM (16 Gauge)  
Fastener Length: 19-50 MM  
Capacity: 100 nails  
Weight: 1.9 Kg

**\$299**

PN: B1650B1



## Medium Duty 80 Series Stapler

Staple Crown: 12.8 MM (80 Series)  
Staple Length: 6-16 MM  
Capacity: 100 Staples  
Weight: 0.90 Kg

**\$159**

PN: BN3016E



## B Puller

Pin Dia.: 4.8 MM  
Nail Dia.: 2-4 MM  
Weight: 0.80 Kg



**\$299**

PN: BPULLER

Ideal for countersinking nails when laying flooring & removing nails during demolition.

## Heavy Duty Coil Nailers

Nail Shank: 2.03-2.8 MM  
Fastener Length: 32-65 MM  
Capacity: 200-400 nails  
Weight: 2.3 Kg



0° Driver Angle  
PN: BC2865F1  
15° Driver Angle  
PN: BC2865D1

**\$559 EA**

## 34° DA Nailer

- Swivel exhaust
- Depth adjustment
- Angled air inlet

Nail Shank: 1.8 MM (15 Gauge)  
Fastener Length: 25-64 MM  
Capacity: 100 Nails  
Weight: 1.95kg



**\$299**

PN: BA3464A1

## 90 MM Angle Framing Gun

- Easy to use Depth Adjuster
- Adjustable Joist Hanger
- Protective cover on safety
- Single & Bump Fire modes

Nail Shank: 2.9-3.3 MM  
Fastener Length: 50-90 MM  
Capacity: 90 nails  
Weight: 3.50 Kg



**\$469**

PN: BA3490F1



**Made in Europe.**

For over 50 years Morrisflex has provided optimum solutions for aerospace, automotive, shipbuilding, metal fabrication and welding sectors worldwide. Morrisflex has been committed to providing our customers with high performance products that maximise productivity and reduce costs. Morris Flex is accredited to ISO9001: 2008 and is equipped with the latest CNC technology delivering product of unrivaled quality and consistency.

## 1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



Some Size 3 burrs are available in 6" extended versions.



Non-ferrous & Stainless Carbide Burrs also available.

### Oval Shape

Head Size	Overall Length	PN	Price
1	2"	CBSE1	\$35
3	2 3/8"	CBSE3	\$50
3	6 5/8"	CBSE3L6	\$80
5	2 5/8"	CBSE5	\$69

### Ball Nosed Tree Shape

Head Size	Overall Length	PN	Price
1	2"	CBSF1	\$35
3	2 1/2"	CBSF3	\$50
3	6 3/4"	CBSF3L6	\$80
5	2 3/4"	CBSF5	\$69

### Pointed Tree Shape

Head Size	Overall Length	PN	Price
1	2"	CBSG1	\$35
3	2 1/2"	CBSG3	\$50
3	6 3/4"	CBSG3L6	\$80
5	2 3/4"	CBSG5	\$69

### Cylinder Shape

Head Size	Overall Length	PN	Price
1	2"	CBSA1	\$35
3	2 1/2"	CBSA3	\$50
3	6 3/4"	CBSA3L6	\$80
5	2 3/4"	CBSA5	\$69

### Cylinder Shape with End Cut

Head Size	Overall Length	PN	Price
1	2"	CBSB1	\$35
3	2 1/2"	CBSB3	\$50
3	6"	CBSB3L6	\$80
5	2 3/4"	CBSB5	\$69

### Radius Ended Cylinder Shape

Head Size	Overall Length	PN	Price
1	2"	CBSC1	\$35
3	2 1/2"	CBSC3	\$50
3	6"	CBSC3L6	\$80
5	2 3/4"	CBSC5	\$69

### Ball Shape

Head Size	Overall Length	PN	Price
1	2"	CBSD1	\$35
3	2 1/8"	CBSD3	\$50
3	6"	CBSD3L6	\$80
5	2 1/4"	CBSD5	\$69

### Flame Shape

Head Size	Overall Length	PN	Price
1	2 3/4"	CBSH1	\$35
3	2 1/2"	CBSH3	\$50
5	3"	CBSH5	\$69

### Ball Nosed Cone Shape

Head Size	Overall Length	PN	Price
1	2"	CBSL1	\$35
3	3"	CBSL3	\$50
3	6"	CBSL3L6	\$80
5	3"	CBSL4	\$69

### Cone Shape

Head Size	Overall Length	PN	Price
1	1 7/8"	CBSM1	\$35
3	2 1/2"	CBSM4	\$50
5	2 3/4"	CBSM5	\$69

### Inverted Cone Shape

Head Size	Overall Length	PN	Price
1	2"	CBSN1	\$35
3	2 1/8"	CBSN3	\$50
5	2 1/4"	CBSN5	\$68

### 60° Countersink Shape

Head Size	Overall Length	PN	Price
1	2"	CBSJ1	\$35
3	2 1/4"	CBSJ3	\$50
5	2 3/8"	CBSJ5	\$69

### 90° Countersink Shape

Head Size	Overall Length	PN	Price
1	2"	CBSK1	\$35
3	2 1/8"	CBSK3	\$50
5	2 1/8"	CBSK5	\$69

## Carbide Burr Sets

**1/8" Head Carbide Burr 10 Piece Set**

Shank Dia: 1/8"

**3/8" Head Carbide Burr 3 Piece Set**

Shank Dia: 1/4"

**1/4" & 3/8" Head Burr 8 Piece Set**

Shank Dia: 1/4"

**1/2" Head Carbide Burr 5 Piece Set**

Shank Dia: 1/4"

**3/8" Head Non-ferrous Burr 3 Piece Set**

Shank Dia: 1/4"

**3/8" Head Stainless Burr 3 Piece Set**

Shank Dia: 1/4"



**\$160**  
PN: CBSET10



**\$128**  
PN: CBSET3



**\$268**  
PN: CBSET8



**\$288**  
PN: CBSET5



**\$148**  
PN: CBSET3NF



**\$163**  
PN: CBSET3INOX



### Wonder Gun Kit

Kit includes flat & small bore tubes, brush attachments, dust bag, 12" flexible extension hose & 1/4" NPT Female inlet connector.



**\$79**

PN: GPA0206KB

### Grease & Caulking Guns

#### Air & Manual Grease Gun

**\$129**

PN: GP1061D

- Takes standard 500cc cartridge
- Kit includes one cannister, manual & pneumatic heads

#### Air Caulking Gun

- Accepts 3 different cartridge lengths
- Cartridge Size: up to 400 g
- Rec. air press.: 15-40 psi
- Weight 0.53kg



**\$78**

PN: GPA1352A-3

### Tyre Inflators

#### Deluxe Tyre Inflator

Range: 0-160 PSI  
Units: PSI, KPA

**HOT PRICE!**



**\$99**

PN: GPA6200

#### Flexible Tyre Chuck


Inlet: JIS standard fitting  
Output: Schrader Valve

**\$20**

PN: GPATC-2

#### Dual Access Tyre Water Chuck

- Perfect for adding ballast water to tractor tyres
- Inlet: 15 mm Garden Hose Coupling
- Output: Schrader Valve



**\$31**

PN: GPA1570W

#### Dual Access Tyre Chuck

Inlet: 1/4" Female Thread  
Output: Schrader Valve



**\$28**

PN: GPA1570

### Hammering Tools

#### Air Hammer Kit

Kit includes 5 Chisels, Spring Retainer, Oiler & Case.



**\$115**

PN: GP102KD

Free Speed: 3,000 BPM  
Stroke Length: 19.05 mm  
Shank Size: 10.2 mm  
Weight: 1.70 Kg

#### Set of 2 Spring Retainers

- Suits 10.2 mm round chisels



**\$16**

PN: GPA70X2

#### Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 x 180 mm needles

Stroke Length : 33 mm  
Impact Rate: 4,600 BPM  
Overall length: 420 mm  
Weight: 2.8 Kg



**\$325**

PN: GP201

#### Needle Scaler Attachment

- Converts most standard air hammers to needle scalars
- Replacement needles available

Needle Array: 19 Needles  
Needle size: 3 x 180 mm



**\$99**

PN: GP60012

#### 38 mm Flattening Hammer



**\$41**

PN: HAC-100

### Blowguns

#### 4" Rubber Tipped Blowgun

- Integrated metal inlet thread
- Rubber Tip
- Length: 110 mm
- Material: POM/Steel

**\$18**

PN: GP1562

#### Integrated Air Gun

- 1/4" steel inlet
- 2m fitted hose

**\$49**

PN: GPB90K



#### 3/8" High Flow Blow Gun Kit

Kit includes:  
High Flow Duster, Easily Adjustable High Flow Nozzle, Heavy Duty High Flow Nozzle & Standard Nozzle.

**\$52**

PN: GHP60AS



**ALL METAL BODY!**

#### Extendable Blow Gun

Length: 270 to 390 mm  
Material: POM/Steel

- Metal inlet for increased durability
- Adjustable length & angle
- Locking ring.

**\$28**

PN: GP1562E



#### 1 Metre Blow Gun

Overall Length: 1050 mm  
Inlet: 1/4" metal  
Material: POM / Aluminum

- Durable all metal construction
- Foam grip

**ALL METAL BODY!**

**\$56**

PN: GP1561





### Surface Preparation

#### Air Rust & Paint Removal Tool Kit (Non-vacuum)

Versatile support handle can be set to any position within it's 180° range.

Kit includes: five 105 MM (4 inch) stripping wheels, Spare disc hub & carry case.



**\$645**

PN: GP2001A

#### Straight Line Sander

- Takes 70 x 445 MM clip on paper.
- Ideal for flat panel automotive work.

Pad Size: 397 x 68 MM  
Free Speed: 2,500 RPM  
Weight: 2.5 Kg



**\$199**

PN: GP1203

#### 5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for 22 MM hole abrasives, thread adapter for 50 MM pad & 50 MM abrasive pads

Spindle Size: 3/8 x 24 UNF  
Free Speed: 16,000 RPM  
Weight: 1.2 Kg

**\$139**

PN: GP1204R



#### 6" Dual Action Sander

Pad Size: 6" (150 MM)  
Free Speed: 9,000 RPM  
Orbit Diameter: 7 MM  
Weight: 2.0 Kg



**New!**

**\$149**

PN: GP1205N

#### 10 MM Belt Sander

Belt Size: 10 x 330 MM

**\$229**


PN: GP1264A

#### 20 MM Belt Sander

Belt Size: 20 x 520 MM

**\$360**

PN: GP1265A



### 7" Sanders & Polishers



#### 7" Disc Sander

PN: GP1206A

Free Speed: 4,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

#### 7" Angle Polisher

PN: GP1206P

Free Speed: 2,500 RPM  
Spindle: Male 5/8-11UNC  
Avg Air Cons.: 12 CFM  
Weight: 2.6 Kg

Velcro Backing Pads  
to suit on page 23.

**\$299 EA**

### 3" Cut Off Grinder

- Built in speed regulator
- Includes cut-off disc.
- Rear exhaust

Free Speed: 22,000 RPM  
Disc Size: 3" (75 MM)  
Weight: 0.75 Kg



**\$115**

PN: GP3201

### Heavy Duty Angle Grinders



#### 4" Heavy Duty Angle Grinder

Spindle Size: M10 x 1.5  
Free Speed: 11,000 RPM  
Weight: 1.95 Kg

**\$289**

PN: GP3102

#### 5" Heavy Duty Angle Grinder

Spindle Size: M14 x 2.0  
Free Speed: 11,000 RPM  
Weight: 1.95 Kg

**\$325**

PN: GP31003

### Air-Hydraulic Riveters

#### 3/16" Air-Hydraulic Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"  
Traction Power: 1950 lbs  
Weight: 1.5 Kg



**\$265**

PN: GP1121D

#### 9/32" Air-Hydraulic Riveter

- Interchangeable nose-pieces
- Safety cap collects spent rivets
- Swivel inlet for easier positioning

Rivet Capacity: 3/16", 1/4", 5/32" & 9/32"  
Traction Power: 3,120 Ft/lbs  
Weight: 3.4 Kg



SUITABLE FOR  
STAINLESS RIVETS!

**\$690**

PN: GP6304

### Air Body Saw

Capacity: 3 MM mild steel  
Stroke length 9.5 MM  
Free Speed: 10,000 OPM



**\$210**

PN: GP9301

#### Quality Bi-metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



**\$26 EA**



## Impact Wrenches



**\$275**

PN: GP260T

**1/2" Impact Wrench**

Max Torque: 500 Ft/lbs  
Nett Weight: 2.0 Kg



**\$599**

PN: GP3125

**3/4" Impact Wrench**

Max Torque: 1100 Ft/lbs  
Nett Weight: 3.48 Kg

## Heavy Duty Ratchet Wrenches



• Front exhaust  
Max Torque: 75 ft/lbs  
Free Speed: 200 RPM  
Weight : 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

**\$159 ea**

## Die Grinders

**1/4" Medium Die Grinder**

Collet Size: 1/4"  
Free Speed: 22,000 RPM  
Weight: 0.675 Kg



**\$79**

PN: GP2202

**1/4" Angle Die Grinder**

Collet Size: 1/4"  
Free Speed: 18,000 RPM  
Weight: 0.833 Kg



**\$159**

PN: GP2203R

## Cleaning Guns

**Bowl Type Engine Cleaning Gun**

Bowl capacity: 700 cc  
Length: 410 mm



**\$80**

PN: GPA034

**Engine Cleaning Gun**

• 1.2m feed hose with built in strainer  
• Flow rate control  
• Adjustable nozzle

Length: 405 mm  
Feed hose Length: 1.2 m



**\$47**

PN: GPA1565

## Compact Die Grinders

**1/4" Die Grinder**

• 1/8", 3 mm & 6 mm collets available  
• Supplied with 1/4" Collet  
• Front exhaust



Free Speed : 20,000 RPM  
Collet Size : 1/4"  
Weight : 0.35kg

**\$65**

PN: GP2201

**1/8" Micro Die Grinder Kit**



Free Speed:  
55,000 RPM  
Includes 10  
grinding stones

**\$199**

PN: GP2204K

## Air Engraving Stylus

• Medium point stylus included  
• Fine & wide point stylus also available

Inlet: 1/4" Male thread  
Hose Length: 1.43 m  
Weight: 0.40 kg



**\$265**

PN: GP110

## Reversible Drills

**Reversible 3/8" Keyless Drill**

Free Speed: 1,800 RPM  
Chuck Size: 3/8" (10 mm) Keyless  
Weight : 1.36 Kg



**\$175**

PN: GP41013K

**1/2" Reversible Drill**

Free Speed: 800 RPM  
Drilling Capacity: 13 mm (1/2")  
Weight : 1.76kg



**\$219**

PN: GP4204

**3/8" Reversible Angle Drill**

• Direction toggle switch with twist lock for forward direction only  
• Top mounted throttle lever  
• Rear exhaust



**\$259**

PN: GP4209

Free Speed : 1500 RPM  
Drilling Capacity : 10 mm (3/8")  
Weight : 1.02kg



## SG420 Gravity Feed Air Brush



**\$119**

PN: SG420A

Nozzle: 0.3 MM  
Working Pressure: 14-50 PSI  
Fluid Capacity: 7 cc  
Weight: 280 g

## K818 Gravity Feed Spray Gun



**\$239 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 600 cc  
Weight: 280 g

1.3 MM Nozzle PN: K818M13  
1.4 MM Nozzle PN: K818M14  
1.8 MM Nozzle PN: K818M18  
2.5 MM Nozzle PN: K818M25

## KH818 HVLP Gravity Feed Spray Gun



**\$259 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 600 cc  
Weight: 514 g

1.3 MM Nozzle PN: KH818M13  
1.4 MM Nozzle PN: KH818M14  
1.8 MM Nozzle PN: KH818M18

## K818 Suction Feed Spray Gun



**\$239 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

1.3 MM Nozzle PN: K818S13  
1.8 MM Nozzle PN: K818S18  
2.0 MM Nozzle PN: K818S20  
2.5 MM Nozzle PN: K818S25

## KH818 HVLP Suction Feed Spray Gun



**\$259**

PN: KH818S18

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g  
Nozzle: 1.8 MM S-Steel

## K320 Mini Gravity Feed Spray Gun



Working Pressure: 30-45 PSI  
Fluid Capacity: 125 cc  
Weight: 280 g

0.8 MM Nozzle PN: K320M08  
1.2 MM Nozzle PN: K320M12

**\$169 EA**

## Pressure Feed Spray Gun Systems



### 2 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**2 Litre Pressure Feed Tank**  
Tank dimensions:  
130L MM x 130W MM x 445H MM  
Capacity: 2 Litre  
Max. pressure: 60 PSI  
Weight total: 2.15 Kg

1.2 MM Nozzle PN: PW2LTRK12  
1.5 MM Nozzle PN: PW2LTRK15  
1.8 MM Nozzle PN: PW2LTRK18  
2.0 MM Nozzle PN: PW2LTRK20  
2.5 MM Nozzle PN: PW2LTRK25

**\$455 EA**

### 10 Litre Pressure Feed Spray Gun System

- Features:
- 3 meter hose
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Tank handle/hanger

**10 Litre Pressure Feed Tank**  
Tank dimensions:  
315L MM x 315W MM x 485H MM  
Capacity: 10 Litre  
Max. pressure: 60 PSI  
Weight total: 10.1 Kg

1.2 MM Nozzle PN: PW10LTRK12  
1.5 MM Nozzle PN: PW10LTRK15  
1.8 MM Nozzle PN: PW10LTRK18  
2.0 MM Nozzle PN: PW10LTRK20  
2.5 MM Nozzle PN: PW10LTRK25

**\$669 EA**

### 20 Litre Pressure Feed Spray Tank System

- Features:
- 10 meter hose
  - Stainless Steel Liner
  - Tank Pressure Regulator
  - Air release valve
  - Safety release valve
  - Manual Agitation

**K818 Pressure Feed 20 Litre Pressure Feed Tank**

Tank dimensions:  
400L MM x 400W MM x 780H MM  
Capacity: 20 Litre  
Max. pressure: 60 PSI  
Weight total: 26 Kg

1.2 MM Nozzle PN: PW20LTRK12  
1.5 MM Nozzle PN: PW20LTRK15  
1.8 MM Nozzle PN: PW20LTRK18  
2.0 MM Nozzle PN: PW20LTRK20  
2.5 MM Nozzle PN: PW20LTRK25

**\$1295 EA**



### 1/2" Compact Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg



**97mm Head**

**\$295**

PN: KP1479

### 1/2" Impact Wrench

**1,000 Ft/lbs**

Free Speed:  
9,500 RPM  
Max Torque: 1,000 Ft/lbs  
Weight 2.30 Kg



**\$299**

PN: KP1488

### 1" Super Duty Impact Wrench

Free Speed: 5,000 RPM  
Max. Torque: 1,800 Ft/lbs  
Weight: 7.10 Kg



**\$1235**

PN: KP1838A-P

### Super Duty Impact Wrenches

Free Speed: 5,500 RPM  
Max. Torque: 1,600 Ft/lbs  
Air Inlet: 1/2"

Length: 325 mm  
Weight: 5.8 Kg



**3/4" Drive**

**\$995**

PN: KP1635

**1" Drive**

**\$1199**

PN: KP1835

### 3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM  
Max Torque: 1100 Ft/Lbs  
Nett Weight: 5.6 Kg



**\$875**

PN: KP1030

### 3/4" Heavy Duty Impact Wrench

Free Speed: 6,500 RPM  
Max Torque: 750 Ft/lbs  
Nett Weight: 4.55 Kg



**\$599**

PN: KP1023

**6" Extended Anvils Available.**

### 1" HD Impact Wrench

- Rubber body protection
- Side handle
- 4 power settings with forward & reverse selector

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 mm  
Air Inlet: 1/2"  
Weight: 15.55 Kg



**2,500 Ft/lbs**

**\$2155**

PN: KP1045

### Pittsburgh Hammer

Impact Rate: 4,200 BPM  
Stroke: 50 mm  
Length: 260 mm  
Weight: 2.20 Kg



**\$235**

PN: KP4711PH

### 4" Heavy Duty Extended Cut Off Tool

- Ideal for hard to access cutting exhaust pipes, body panels



Free Speed:  
14,000 RPM  
Length: 345 mm  
Output: 745 Watt  
Weight: 1.40 Kg

**\$389**

PN: KP4413

### Compact Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
12 Needles Ø3 x 125 mm



**\$239**

PN: KP4714

### Heavy Duty Chipping Hammer

- Side Exhaust
- Moil Point & Flat Chisels available

Stroke: 102 mm  
Impact Rate: 1500 BPM  
Length: 350 mm  
Weight: 9 Kg



**\$779**

PN: KP4735S3H

### Heavy Duty Air Caulking Gun

Takes 50 mm diameter sausages  
400, 500 & 600 ml sizes.  
Air pressure: 45-90 PSI  
Length: 550 mm  
Weight: 0.9 Kg



**\$236**

PN: KP4613

### Pistol Grip Needle Scaler

Impact Rate: 3,700 BPM  
Overall Length: 350 mm  
19 Needles Ø3 x 180 mm



**\$359**

PN: KP4722P

### Dual Chuck Tyre Gauge

Units: PSI, kg/cm2, KPA & Bar  
Air Flow: 1.28 CFM @ 100 PSI  
Range: 0-220 PSI  
Hose Length: 750 mm  
Weight: 1.2 Kg

**Ideal for Truck Tires**



**\$165**

PN: KP79607

### Two Speed Air Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads
- Side mounted speed regulator

Free Speed: 15,000 RPM  
Weight: 0.45 Kg



**\$165**

PN: KP6712

**Extra 2" Pad**

### Air/Hydraulic Nutsert Gun

- Sets M4, M5, M6, M8, M10 nutserts in steel & aluminium
- Sets Stainless Steel nutserts up to M8
- Optional M3 anvil set available

Traction Power: 3,640 Ft/lbs  
Stroke: 6 mm  
Weight: 1.55 Kg



**\$990**

PN: KP4253

### SOCKET SETS

#### 3/8" DRIVE

**\$68 EA**



3/8" 8 Piece Metric Socket Set

PN: GX838SSM

Sizes: 8, 10, 11, 12, 13, 15, 17 & 19 mm

3/8" 8 Piece Imperial Socket Set

PN: GX838SSI

Sizes: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16" & 3/4"

#### 1/2" DRIVE

**\$135 EA**



1/2" 13 Piece Metric Socket Set

PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

1/2" 13 Piece Imperial Socket Set

PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

#### 3/4" DRIVE

**\$195 EA**



3/4" 8 Piece Metric Socket Set

PN: GX834SSM

Sizes: 26, 27, 29, 30, 32, 35, 36 & 38 mm

3/4" 8 Piece Imperial Socket Set

PN: GX834SSI

Sizes 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"

Made from Chrome Molybdenum Steel CR-MO.

Meet or exceed DIN & ANSI standards.

### HEX & TORX® BIT SETS

**\$89 EA**



1/2" 8 Piece Metric Hex Bit

PN: GX12HBMS

Sizes: H5, H6, H8, H10, H12, H14, H17 & H19 mm

1/2" 8 Piece Imperial Hex Bit

PN: GX12HBIS

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" & 3/4"



1/2" Torx® Impact Socket Set

Sizes: T25, T27, T30, T40, T45, T50, T55 & T60 bits

Made from SNCR 8660 Steel which allows 20% more torque than CR-MO.

**\$99**

PN: GX12TX8

### 3/4" Drive Budd Wheel Sockets

17 mm Square PN: GXBWS3417

19 mm Square PN: GXBWS3419

21 mm Square PN: GXBWS3421

Removes studs on dual-wheel applications. To suit Isuzu, Hino, Mitsubishi, Fuso and most European trucks.



**\$31 EA**

### IMPACT UNIV. JOINTS



3/8" Drive Universal Joint  
Overall Length 50 mm

**\$22**

PN: GX38U

1/2" Drive Universal Joint  
Overall Length 63 mm

**\$25**

PN: GX12U

3/4" Drive Universal Joint  
Overall Length 90 mm

**\$45**

PN: GX34U

Molybdenum Steel CR-MO.

### SOCKET & EXTENSION BAR SETS

1/2" Sockets & Torque Extension Bar Set

- Teflon sleeved
- Chrome Molybdenum

Narrow Wall Impact Sockets sizes: 17, 19, 21 mm & 3/16"

Torque Bars sizes: 65, 80, 100 & 120 Ft/Lbs

**\$144**

PN: GPA1696



1/2" Drive Thin Wall 3 Piece Impact Socket Set

- Teflon sleeved sockets for protecting alloy wheels surfaces from scuffing.
- Cast with Chrome molybdenum steel.

Sizes: 17, 19 & 21 mm

**\$50**

PN: GPA1694



### 5 PIECE ADAPTER SETS

**\$25**

PN: GX6AS



5 Piece Std Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

**\$35**

PN: GX1A5



5 Piece Impact Adapter Set

- Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

### WOBBLE IMPACTING BAR SETS

Made from Chrome Molybdenum Steel CR-MO.

1/4" Wobble Extension Bar 5 Piece Set

Kit includes: 3", 6", 10" & 12" bars

**\$47**

PN: GXWEBS14



3/8" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 6", 10" & 18" bars

**\$67**

PN: GXWEBS38

1/2" Wobble Extension Bar 4 Piece Set

Kit includes: 3", 5", 10" & 18" bars

**\$78**

PN: GXWEBS12



### Fitted Air Hoses

Fitted with Japanese compatible  
One Touch couplings.



Made in  
Australia

**10 MM Fitted  
Air Hoses**

10 MM ID

20 Metre  
PN: AH1020F  
30 Metre  
PN: AH1030F

**\$61  
\$82**

**12 MM Fitted  
Air Hoses**

12 MM ID

20 Metre  
PN: AH1220F  
30 Metre  
PN: AH1230F

**\$92  
\$124**

### Premium Air Tool

- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals



**Premium Air  
Tool 250 ML**

**\$10**

PN: SI250

**Premium Air  
Tool 1 Litre**

**\$19**

PN: SI1000

**Premium Air  
Tool 5 Litre**

**\$79**

PN: SI5000

### Recoil Air Hoses



**10 MM Recoil Air Hoses**

6.5 MM ID x 10 MM OD

2 Metre  
PN: GPH1003LBHL  
5 Metre  
PN: GPH1006LBHL  
6 Metre  
PN: GPH1008LBHL  
8 Metre  
PN: GPH1010LBHL

**\$50  
\$54  
\$60  
\$72**

**12 MM Recoil Air Hoses**

8 MM ID x 12 MM OD

5 Metre  
PN: GPH1206LBHL  
6 Metre  
PN: GPH1208LBHL  
8 Metre  
PN: GPH1210LBHL  
10 Metre  
PN: GPH1212LBHL

**\$60  
\$72  
\$82  
\$88**



### Air Fittings



ONE-TOUCH  
CONNECTOR

1/4" Female Socket  
PN: THB20SFT  
3/8" Female Socket  
PN: THB30SFT  
1/2" Female Socket  
PN: THB40SFT

**\$15  
\$15  
\$15**



ONE-TOUCH  
CONNECTOR

1/4" Hose Socket  
PN: THB20SHT  
3/8" Hose Socket  
PN: THB30SHT  
1/2" Hose Socket  
PN: THB40SHT

**\$15  
\$15  
\$15**



ONE-TOUCH  
CONNECTOR

1/4" Male Socket  
PN: THB20SMT  
3/8" Male Socket  
PN: THB30SMT  
1/2" Male Socket  
PN: THB40SMT

**\$15  
\$15  
\$15**



1/4" Female Plug  
PN: THB20PFA  
3/8" Female Plug  
PN: THB30PFA  
1/2" Female Plug  
PN: THB40PFA

**\$4  
\$4  
\$5**



1/4" Hose Plug  
PN: THB20PHA  
3/8" Hose Plug  
PN: THB30PHA  
1/2" Hose Plug  
PN: THB40PHA

**\$4  
\$4  
\$4**



1/4" Male Plug  
PN: THB20PMA  
3/8" Male Plug  
PN: THB30PMA  
1/2" Male Plug  
PN: THB40PMA

**\$4  
\$4  
\$5**

### Swivel Connectors

Male thread to  
Japanese Style Plug  
Range: 22°

1/4" Thread PC: B05

3/8" Thread PC: B07



**\$15 EA**

### Inline Regulators

1/4" Air Flow  
Regulator

1/4" Air Flow Regulator  
with Male plug



**\$17**  
PN: GPA1010



**\$17**  
PN: GPA1011

### BASSO

### Velcro Pads

**6" Velcro Pad**

Thread: 5/16" UNC Male  
Max Speed: 12,000 RPM

**\$38**

PN: F6505



**6" Dust Free Velcro Pad**

Thread: 5/16" UNC Male  
Max Speed: 12,000 RPM

**\$41**

PN: F6565



### IN-LINE COMPONENTS

2 Way Cluster  
Quick Coupler

**\$28**

PN: GPA1513

3 Way Cluster  
Quick Coupler

**\$33**

PN: GPA1514



2 Way In-line  
Quick Coupler

**\$28**

PN: GPA1515

3 Way In-line  
Quick Coupler

**\$33**

PN: GPA1516

4 Way In-line  
Quick Coupler

**\$37**

PN: GPA1517



## In-line Components

**1/4" In-line Water Separator**  
Max Press.: 90 PSI  
1/4" NPT Female to Male



**\$28**

PN: GPA1512

**1/4" In-line Lubricator**  
1/4" NPT Female to Male  
Capacity: 15 mL



**\$25**

PN: GPA1025

## 1/4" Mini Filter Regulator

Max Input Press.: 280 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Filter Element: 5 µm



**\$65**

PN: THBFR212

## 1/4" Mini Filter Regulator Lubricator

Max Input Press.: 150 PSI  
Output Press.: 7-142 PSI  
Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Oil Capacity: 30 mL  
Filter Element: 5 µm



**SUPER COMPACT**  
140W x 135H mm

**\$75**

PN: THBC202

## Regulators



### 1/4" Regulator

Max Input Press.: 150 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM

**\$41**

PN: THBR202

### 1/2" Regulator

Max Input Press.: 215 PSI  
Output Press.: 7-150 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 105.94 CFM

**\$51**

PN: THBR804

### 3/4" Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-225 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM

**\$144**

PN: THBR906

### 1" Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-225 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM

**\$144**

PN: THBR908

## Filter Regulator Lubricators

Max Input Press.: 215 PSI  
Output Press.: 7-150 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Oil Capacity: 125 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFLR804



**\$99**

## Filter Regulators

Max Input Press.: 215 PSI  
Output Press.: 7-150 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Drain Capacity: 80 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFR804



**\$61 EA**

## 3/4" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM  
Drain Capacity: 300 mL

PN: THBFR926A

## 1" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM  
Drain Capacity: 300 mL

PN: THBFR928A



**AUTO-DRAIN FUNCTION**

**\$247 EA**

## Filters

### 1/2" Auto Drain Filter

Port Size: 1/2" NPT  
Max Input Press.: 225 PSI



**\$77**

PN: THBD704A

### 1/2" Filter

Port Size: 1/2" NPT  
Max Input Press.: 215 PSI  
Max Flow: 105.94 CFM



**\$50**

PN: THBF804

## Lubricators

Max Input Press.: 215 PSI  
Oil Capacity: 125 mL

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBL804



**\$61 EA**

## Premium Compressor Oil

- Specially formulated additives give superior protection against wear and corrosion
- Excellent water & air separation, to ensure reliable operation with minimal foaming and emulsification



**\$25**

PN: COMPOIL1



## Quick-Lock Preparation Kits

### 2" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each:  
1/4" shank, 2" backing pad, 24 grit 2" disc,  
36 grit 2" disc, 50 grit 2" disc, Brown (Coarse)  
surface prep 2" disc & Maroon (Medium)  
surface prep 2" disc.

**\$30**

PN: GPK2



Abrasive & Sanding Pads made in USA.

### 3" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 3" backing pad,  
24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc,  
Brown (Coarse) surface prep 3" disc &  
Maroon (Medium) surface prep 3" disc.

**\$42**

PN: GPK3



Abrasive & Sanding Pads made in USA.

## 8 Piece Flap Wheel Kit

Kit includes:

25 mm x 12 mm, 120 Grit, x 1  
25 mm x 25 mm, 40 Grit, x 1  
25 mm x 25 mm, 80 Grit, x 1  
40 mm x 25 mm, 60 Grit, x 1

40 mm x 25 mm, 80 Grit, x 1  
50 mm x 25 mm, 80 Grit, x 1  
50 mm x 25 mm, 60 Grit, x 2

**\$54**

PN: GFWK



## Zirconia Sanding Belts



Pack of 10 Belts.

### 10 mm Sanding Belts

Size: 10 mm x 330 mm

40 Grit PC: SIP10MMXP40

60 Grit PC: SIP10MMXP60

80 Grit PC: SIP10MMXP80

100 Grit PC: SIP10MMXP100

120 Grit PC: SIP10MMXP120

**\$29 EA**

### 20 mm Sanding Belts

Size: 20 mm x 520 mm

40 Grit PC: SIP20MMXP40

60 Grit PC: SIP20MMXP60

80 Grit PC: SIP20MMXP80

100 Grit PC: SIP20MMXP100

120 Grit PC: SIP20MMXP120

**\$41 EA**

## Quick-Lock Polishing Pads



50 mm Quick-Lock  
Felt Polishing Pad

**\$10**

PN: GPA1525

75 mm Quick-Lock  
Felt Polishing Pad

**\$15**

PN: GPA1575

## Polishing Mops

1/4" Shank  
Tapered Spindle

Fits 50 mm Calico  
Polishing Mops  
(PN: PMC50).

**\$39**

PN: TS12



50 mm Calico Polish Mop

For use with Taper  
Spindle (PN: TS12).  
Width: 20 mm

**\$30**

PN: PMC50



## Velcro Backing Pads

50 mm Velcro  
Backing Pad  
Shank Size: 1/4"



**\$32**

PN: GPA50

75 mm Velcro  
Backing Pad  
Shank Size: 1/4"



**\$39**

PN: GPA75

## Velcro Polishing Pads

60 mm Polishing Pad  
Suits 50 mm Velcro  
Backing Pad



**\$13**

PN: OWB-60

80 mm Polishing Pad  
Suits 75 mm Velcro  
Backing Pad



**\$23**

PN: 119-102

**geiger**

## Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

50 mm Quick-Lock  
Backing Pad

75 mm Quick-Lock  
Backing Pad



**\$19**

PN: GPA1523K



**\$23**

PN: GPA1524K

## Quick-lock Abrasive Pads

(Packs of 10)

50 mm



**\$32 EA**

75 mm



**\$59 EA**

Blue 50 mm Fine

PN: GPA1527X10

Maroon 50 mm Medium

PN: GPA1528X10

Brown 50 mm Coarse

PN: GPA1526X10

Blue 75 mm Fine

PN: GPA1530X10

Maroon 75 mm Medium

PN: GPA1531X10

Brown 75 mm Coarse

PN: GPA1529X10

## Quick-Lock Zirconia Sanding Discs



50 mm Quick-Lock Zirconia  
Sanding Discs (Packs of 5)

36 Grit PN: AB22012S36

60 Grit PN: AB22012S60

80 Grit PN: AB22012S80

120 Grit PN: AB22012S120

**\$14 EA**

75 mm Quick-Lock Zirconia  
Sanding Discs (Packs of 5)

36 Grit PN: AB22013S36

60 Grit PN: AB22013S60

80 Grit PN: AB22013S80

120 Grit PN: AB22013S120

**\$21 EA**

## Quick-Lock Zirconia Mini Flap Discs



50 mm Quick-Lock Zirconia  
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22012F40

60 Grit PN: AB22012F60

80 Grit PN: AB22012F80

120 Grit PN: AB22012F120

**\$27 EA**

75 mm Quick-Lock Zirconia  
Mini Flap Discs (Packs of 5)

40 Grit PN: AB22013F40

60 Grit PN: AB22013F60

80 Grit PN: AB22013F80

120 Grit PN: AB22013F120

**\$38 EA**



## Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.  
Max. speed: 2,500 RPM  
Thickness: 32 MM



5" Merino Wool Sheep Skin Polishing Bonnet.

**\$28**  
PN: FP40005

7" Merino Wool Sheep Skin Polishing Bonnet.

**\$34**  
PN: FP40015

9" Merino Wool Sheep Skin Polishing Bonnet.

**\$42**  
PN: FP40025

## Velcro Backing Pads

6" Dust Free Velcro Multi-Fit Pad  
Thread Size: M8 & 5/16" UNF  
Pad Thickness: 14 MM  
Max Speed: 12,000 RPM



**Suits Festool & Makita Sanders!**

**\$66**  
PN: FP17099

## 150 MM Velcro Internally Threaded Pad

• Medium Pad Density  
Pad Thickness: 12 MM  
Max Speed: 10,200 RPM



M14 Int. Thread


**\$51**  
PN: FP36155

5/8" UNC Int. Thread

**\$51**  
PN: FP36160

## 180 MM Velcro Internally Threaded Pad

• Medium Pad Density  
Pad Thickness: 12 MM  
Max Speed: 8,500 RPM



M14 Int. Thread


**\$61**  
PN: FP36170

5/8" UNC Int. Thread

**\$61**  
PN: FP36175

## 200 MM Velcro Internally Threaded Pad

• Medium Pad Density  
Pad Thickness: 12 MM  
Max Speed: 6,500 RPM



M14 Int. Thread

**\$61**  
PN: FP36185

5/8" UNC Int. Thread

**\$61**  
PN: FP36190

## Nylon Backing Pads



### 115 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2  
Pad Thickness: 15 MM  
Max Speed: 12,250 RPM

**\$23**  
PN: FP20115

### 100 MM Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2  
Pad Thickness: 15 MM  
Max Speed: 12,250 RPM

**\$22**  
PN: FP20020

### 5" Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2  
Pad Thickness: 16 MM  
Max Speed: 12,250 RPM

**\$23**  
PN: FP20210

### 7" Nylon Backing Pad

• Medium Pad Density  
Thread Size: M14 x 2  
Pad Thickness: 20 MM  
Max Speed: 8,500 RPM



M14 Int. Thread

**\$27**  
PN: FP20310

5/8" UNC Int. Thread

**\$27**  
PN: FP20305



## A one of a kind brush system

Unlike other sweeping brush devices, Haaga sweepers rely on their patented disk brush technology. These two specially made circular brushes cut under the waste material and whisk it directly into the waste container. The coarse or fine debris is not run over or pushed around in front of the sweeper.



## haaga 355

300 Series Commercial Sweeper  
Cleaning Width: 550 MM  
Performance: 1600 m2/h  
Capacity: 20 Liters  
Weight: 7.2 kg (empty)

**\$569**

PN: HG355



## haaga 477

400 Series Commercial Sweeper

• Stores vertically in most closets  
(1550H x 780W x 300 MM)

Cleaning Width: 770 MM  
Performance: 3,000 m2/h  
Capacity: 50 Liters  
Weight: 15 kg (empty)

**\$1049**

PN: HG477



## haaga 497

400 Series Commercial Sweeper

Cleaning Width: 970 MM  
Performance: 3,600 m2/hr  
Capacity 50 litres.  
Weight: 15.7 kg (empty)

**\$1295**

PN: HG497





# WORKSHOP CATALOGUE

Valid 1st February to June 30<sup>th</sup> 2020.  
All prices quoted include GST.

Distributed by:



Precision Cutting Tool Sales & Sharpening

YOUR COMPETITIVE EDGE

**FREECALL**  
**1800 996 264**

sales@powermaxgroup.com.au  
www.powermaxgroup.com.au

## JETON<sup>®</sup> Nozzle Kits

Ideal for use with petroleum solvents or lubricants, detergents or brake fluids.

### 1/4" Assorted Nozzle Kit

Includes 300 mm of 1/4" hose segments, 1/16", 1/8", 1/4" Nozzles, 1/4" & 1/8" Male threaded PT Connectors

**\$34**

PN: CS82020



### 1/2" Assorted Nozzle Kit

Includes 300 mm of 1/2" hose segments, 1/4", 3/8" & 1/2" Nozzles, 3/8" & 1/2" Male threaded PT Connectors

**\$48**

PN: CS84040

Other kits available.

## All-In-One Sandblaster

- Ideal for spot and rust removal on small areas
- Light weight all in one design

Nozzle Size: 5.2 MM  
Capacity: 266cc



**\$59**

PN: GPASB100



## Twin-LED Rechargeable Inspection Lamp

Ideal for automotive panel & paint inspection or any confined automotive or industrial work environments.

- Precision adjustable dimmer switch
- Multistage battery indicator light
- Magnetic ball jointed adjustable base
- Dual retractable lamp hangers
- USB rechargeable li-ion battery
- Magnetic retrieval wand at tip
- IP54 dust & water resistant

**\$149**

PN: GLED2CIL

**SUPER BRIGHT**  
**880**  
**LUMENS!**



## Tapping Wrenches

### T-Handle Ratchet Tap Wrench

- Forward, Locked & Reverse Ratchet
- Slidable T-handle

Range: 5M to 12M  
Length: 120 MM



**\$25**

PN: GTHRW

### Tap Wrench

Range: 4M to 12M  
Length: 280 MM



**\$26**

PN: GTHW



## Desktop Magnification Lamp

- Adjustable height and angle
- Interchangeable 100 mm lens (sold separately)
- Bright 560 Lumen LED lamp with lens cover

Lens dia.: 100 MM  
Magnification: 3 Diopter  
Max lens height: 300 MM  
Brightness: 560 Lumen  
Power supply: 240V  
Power consumption: 6W  
Cord length: 1.3m

**\$99**

PN: ML30

**560 Lumen**  
**LED lamp**



## Wall & Bench Storage

### 48 Drawer Parts Cabinet

586W x 222D x 937H mm

**\$425**

PN: A7443

### 24 Drawer Parts Cabinet

444W x 222D x 642H mm

**\$299**

PN: A7824

### 40 Bin Wall Storage Kit

- Hang panels horizontally or vertically

Includes 2 Panels,  
40 x HB210 Bins,  
screws & wall plugs.

PN: HP1KITB

PN: HP1KITR



**\$179 EA**

## Air Hose Reels

### 20 Metre Manual Hose Reel

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Includes wall hanging bracket

Hose Size: 20 Metre x 11 mm ID

**\$249**

PN: GPHR1220



### Wall Mountable 20m Hose Reel

- Wall mountable with 180° swivel bracket
- 1.5m inlet hose with 360 swivel inlet
- Adjustable air line stopper
- Metal housing
- Shrouded Socket

Hose Size: 20 Metre x 11 mm ID

**\$289**

PN: GPHR1020

